
AutoFinish Product List

10/7/24

Any product or material not listed will require Level 2 R&D and may require additional sample requests from the customer

Validated Products:

- Acrylic denture ([IvoBase](#), [Lucitone 199](#), milled PMMA)
 - Recipe Document: AutoFinish Acrylic Denture
 - Expected Result: High shine finished product
- Acrylic partial denture with frame after processing ([IvoBase](#), [Lucitone 199](#)) ***Partial framework must be polished before processing teeth and base***
 - Recipe Document: AutoFinish Acrylic Denture
 - Expected Result: High shine finished product
- Acrylic temporary partial denture with ball clasps ([IvoBase](#), [Lucitone 199](#), milled PMMA)
 - Recipe Document: AutoFinish Acrylic Denture
 - Expected Result: High shine finished product
- AOX acrylic hybrid ([IvoBase](#), [Lucitone 199](#), milled PMMA)
 - Recipe Document: AutoFinish Acrylic Denture
 - Expected Result: High shine finished product
- Flexible Partial Denture ([Valplast](#), [TCS](#), [Myerson DuraFlex](#))
 - Recipe Document: AutoFinish Flexible Partial Denture
 - Expected Result: High shine finished product
- Partial Framework ([Vitallium](#), [Argen SLM](#))
 - Recipe Document: AutoFinish Partial Denture Framework
 - Expected Result: High shine finished product
- Zirconia restorations ([All full-strength zirconia materials](#))
 - Recipe Document: AutoFinish Zirconia
 - Expected Result: High shine finished product
- Full Cast Gold restorations ([Argen high noble alloys yellow and white](#))
 - Recipe Document: AutoFinish Full Cast Gold
 - Expected Result: High shine finished product
- Milled Full Gold restorations ([Argen high noble alloys yellow and white](#))
 - Recipe Document: AutoFinish Milled Full Gold
 - Expected Result: High shine finished product
- Full Cast Non-Precious and Noble restorations ([Argen CoCr and Noble alloys](#))
 - Recipe Document: AutoFinish Full Cast Non-Precious & Noble
 - Expected Result: High shine finished product

- Milled Full Non-Precious and Noble restorations ([Argen CoCr and Noble alloys](#))
 - Recipe Document: AutoFinish Milled Full Non-Precious & Noble
 - Expected Result: High shine finished product
- Support Removal Polyjet Denture ***Awaiting FDA approval***
 - Recipe Document: AutoFinish Support Removal Denture
 - Expected Result: Support removed
- Low impact 3D printed denture ([Dentca, Dima, Trusana, Polyjet](#))
 - Recipe Document: AutoFinish Low Impact Printed Denture
 - Expected Result: High shine finished product
- AOX Low impact 3D printed hybrid ([Polyjet](#))
 - Recipe Document: AutoFinish Low Impact Printed Denture
 - Expected Result: High shine finished product
- High impact 3D printed denture ([Lucitone Print, Flexcera, Rodin, Formlabs](#))
 - Recipe Document: AutoFinish High Impact Printed Denture
 - Expected Result: High shine finished product
- Support Removal Polyjet Model
 - Recipe Document: AutoFinish Support Removal Polyjet Model
 - Expected Result: Support removed
- High impact 3D printed nightguard and splint ([KeySplint Soft, KeySplint Hard, Formlabs Dental LT Clear \(V2\), Formlabs Dental LT Comfort](#))
 - Recipe Document: AutoFinish High Impact Printed Nightguard and Splint
 - Expected Result: High shine finished product
- Acrylic nightguards ([Processed PMMA, milled PMMA](#))
 - Recipe Document: AutoFinish Acrylic Denture
 - Expected Result: High shine finished product
- Astron nightguards ([Processed Astron, Milled Astron CLEARsplint](#))
 - Recipe Document: AutoFinish Astron Nightguard
 - Expected Result: High shine finished product
- Milled Nano Ceramic Crown and Bridge
 - Recipe Document: Milled Nano Hybrid Ceramic and PMMA Crown and Bridge
 - Expected Result: High shine finished product
- Milled PMMA Crown and Bridge
 - Recipe Document: Milled Nano Hybrid Ceramic and PMMA Crown and Bridge
 - Expected Result: High shine finished product